

# HIPRAVIAR<sup>®</sup> ILT

**Live vaccine,  
infectious laryngotracheitis,  
in ocular freeze-dried tablet**

---

## COMPOSITION:

### PER DOSE:

Attenuated live avian infectious laryngotracheitis virus, CHP50 strain:  $10^3$  -  $10^{3.5}$  EID<sub>50</sub>

## INDICATIONS:

**Chickens, Layers and Breeders:** Prevention of infectious laryngotracheitis.

## ADMINISTRATION ROUTE:

Ocular.

*Ocular:* Inject 10 ml of solvent to break the vacuum of the vial; before administration, shake gently until the freeze-dried tablet is complete resuspended. Mix the resuspended product with the rest of the solvent. Administer one drop of the vaccine (0.03 ml) per bird, in the eye, using a standard dropper (30 ml per 1,000 doses).

## DOSAGE:

**Chickens, Layers and Breeders:** 1 dose/bird.

- The veterinary surgeon will establish the most suitable vaccination programme according to the health conditions of each farm and area.

## WITHDRAWAL TIME:

0 days.

## SPECIAL PRECAUTIONS:

- Store at +2 to +8 °C, protected from light.

## PACKAGING:

Pack of 10 vials of 1,000 doses.

Under veterinary prescription

